

STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES

MISSOURI CLEAN WATER COMMISSION



MISSOURI STATE OPERATING PERMIT

In compliance with the Missouri Clean Water Law, (Chapter 644 R.S. Mo. as amended, hereinafter, the Law), and the Federal Water Pollution Control Act (Public Law 92-500, 92nd Congress) as amended,

Permit No. MO-0109771

Owner: Barber & Sons Tobacco Company
Address: 1211 Charlotte Kansas City MO 64106

Continuing Authority: Same as above
Address: Same as above

Facility Name: Barber & Sons Aggregates
Address: Highway 7 & U.S. Highway 50 Lee's Summit 64093

Legal Description: See Page 2

Receiving Stream: Unnamed Tributary to Lake Lotawana
First Classified Stream and ID: Lake Lotawana (L3)(7091)
USGS Basin & Sub-watershed No.: (10300101)-(110001)

is authorized to discharge from the facility described herein, in accordance with the effluent limitations and monitoring requirements as set forth herein:

FACILITY DESCRIPTION

See page 2

This permit authorizes only wastewater discharges under the Missouri Clean Water Law and the National Pollutant Discharge Elimination System; it does not apply to other regulated areas. This permit may be appealed in accordance with Section 644.051.6 of the Law.

June 27, 2003

Effective Date

June 26, 2008

Expiration Date
MO 780-0041 (10-93)


Stephen M. Mahfood, Director, Department of Natural Resources
Executive Secretary, Clean Water Commission


James K. Macy, Director, Kansas City Regional Office

FACILITY DESCRIPTION - Quarry - **SIC** - #1422

Outfall: #001 SE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 7, T47N, R30W, Jackson County

Settling basin/storm water runoff.
Design flow is 61.4 MGD.
Actual Flow dependent on rainfall.

Outfall: #002 SW $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 7, T47N, R30W, Jackson County

Settling basin/storm water runoff.
Design flow is 144.5 MGD.
Actual Flow dependent on rainfall.

Outfall: #003 NE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 7, T47N, R30W, Jackson County

Settling basin/storm water runoff.
Design flow is 16.8 MGD.
Actual Flow dependent on rainfall.

Outfall: #004

Outfall **TERMINATED**

Flow from outfall redirected to outfall 002

Outfall: #005 SW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 6, T47N, R30W, Jackson County

Storm water runoff from the back slope of the dam, where quarried rock and other materials have been deposited.
Runoff dependent on rainfall.

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS					PAGE NUMBER 3 of 5	
					PERMIT NUMBER MO-0109771	
The permittee is authorized to discharge from outfall(s) with serial number(s) as specified in the application for this permit. The final effluent limitations shall become effective upon issuance and remain in effect until expiration of the permit. Such discharges shall be controlled, limited and monitored by the permittee as specified below:						
OUTFALL NUMBER AND EFFLUENT PARAMETER(S)	UNITS	FINAL EFFLUENT LIMITATIONS			MONITORING REQUIREMENTS	
		DAILY MAXIMUM	WEEKLY AVERAGE	MONTHLY AVERAGE	MEASUREMENT FREQUENCY	SAMPLE TYPE
<u>Outfall #001</u>						
Flow	MGD	*		*	once/quarter**	24 hr. estimate
Total Suspended Solids	mg/L	75		50	once/quarter**	grab
pH - Units	SU	***		***	once/quarter**	grab
Precipitation	inches /day	****		****	once/day	24 hr. total
Oil and Grease	mg/L	15		10	once/quarter**	grab
MONITORING REPORTS SHALL BE SUBMITTED QUARTERLY; THE FIRST REPORT IS DUE <u>October 28, 2003</u> . THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.						
B. STANDARD CONDITIONS						
IN ADDITION TO SPECIFIED CONDITIONS STATED HEREIN, THIS PERMIT IS SUBJECT TO THE ATTACHED <u>Part I</u> STANDARD CONDITIONS DATED <u>October 1, 1980</u> , AND HEREBY INCORPORATED AS THOUGH FULLY SET FORTH HEREIN.						

MO 780-0010 (8/91)

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (continued)

- * Monitoring requirement only.
- ** Once/quarter when a discharge occurs and samples must be collected at least one (1) hour after and prior to two (2) hours after a 0.5 inch rainfall event. If a 0.5 inch rainfall event does not occur, then the permittee will report "no sampleable rainfall event occurred."
- *** pH is measured in pH units and is not to be averaged. The pH is limited to the range of 6.0-9.0 pH units.
- **** Permittee shall maintain a precipitation event log for the quarry site. The log shall include: type of Precipitation, duration of precipitation, and amount of precipitation (snow shall be recorded as an equivalent amount of rainfall). A summary sheet showing all events shall be submitted with the Quarterly Discharge Monitoring Report.

C. SPECIAL CONDITIONS

1. This permit may be reopened and modified, or alternatively revoked and reissued, to:
 - (a) Comply with any applicable effluent standard or limitation issued or approved under Sections 301(b)(2)(C) and (D), 304(b)(2), and 307(a) (2) of the Clean Water Act, if the effluent standard or limitation so issued or approved:
 - (1) contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or
 - (2) controls any pollutant not limited in the permit.
 - (b) Incorporate new or modified effluent limitations or other conditions, if the result of a waste load allocation study, toxicity test or other information indicates changes are necessary to assure compliance with Missouri's Water Quality Standards.

SPECIAL CONDITIONS CONTINUED

- (c) Incorporate new or modified effluent limitations or other conditions if, as the result of a watershed analysis, a Total Maximum Daily Load (TMDL) limitation is developed for the receiving waters which are currently included in Missouri's list of waters of the state not fully achieving the state's water quality standards, also called the 303(d) list.

The permit as modified or reissued under this paragraph shall also contain any other requirements of the Clean Water Act then applicable.

- 2. All outfalls must be clearly marked in the field.
- 3. Permittee will cease discharge by connection to areawide wastewater treatment system within 90 days of notice of its availability.
- 4. Changes in Discharges of Toxic Substances

The permittee shall notify the Director as soon as it knows or has reason to believe:

- (a) That any activity has occurred or will occur which would result in the discharge of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels:"
 - (1) One hundred micrograms per liter (100 µg/L);
 - (2) Two hundred micrograms per liter (200 µg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 µg/L) for 2,5 dinitrophenol and for 2-methyl-4, 6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
 - (3) Five (5) times the maximum concentration value reported for the pollutant in the permit application;
 - (4) The level established in Part A of the permit by the Director.
- (b) That they have begun or expect to begin to use or manufacture as an intermediate or final product or byproduct any toxic pollutant, which was not reported in the permit application.

- 5. Report as no-discharge when a discharge does not occur during the report period.
- 6. General Criteria. The following water quality criteria shall be applicable to all waters of the state at all times including mixing zones. No water contaminant, by itself or in combination with other substances, shall prevent the waters of the state from meeting the following conditions:
 - (a) Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses;
 - (b) Waters shall be free from oil, scum and floating debris in sufficient amounts to be unsightly or prevent full maintenance of beneficial uses;
 - (c) Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses;
 - (d) Waters shall be free from substances or conditions in sufficient amounts to result in toxicity to human, animal or aquatic life;
 - (e) There shall be no significant human health hazard from incidental contact with the water;
 - (f) There shall be no acute toxicity to livestock or wildlife watering;
 - (g) Waters shall be free from physical, chemical or hydrologic changes that would impair the natural biological community;

SPECIAL CONDITIONS CONTINUED

- (h) Waters shall be free from used tires, car bodies, appliances, demolition debris, used vehicles or equipment and solid waste as defined in Missouri's Solid Waste Law, section 260.200, RSMo, except as the use of such materials is specifically permitted pursuant to section 260.200-260.247.